INDEX TO AUTHORS

Brackets indicate senior author's professional history

A

ALBERSHEIM, PETER, and KILLIAS, URSULA. The use of bismuth as an electron stain for nucleic acids, 93

ASHWORTH, C. T., LUIBEL, F. J., and STEWART, S. C. The fine structural localization of adenosine triphosphatase in the small intestine, kidney, and liver of the rat, [227] 1

B

BARRNETT, RUSSELL J. See MARCHESI and BARRNETT, 547

—. See SABATINI, BENSCH, and BARRNETT, 19

BENSCH, KLAUS. See SABATINI, BENSCH, and BARRNETT, 19

BERNHARD, W. See GRANBOULAN, TOURNIER, WICKER, and BERNHARD, 423

BOGORAD, LAWRENCE. See JACOBSON, SWIFT, and BOGORAD, 557

BONTE, FREDERICK J. See HENDEE, ZEBRUN, and BONTE, 675

BURSTONE, MARVIN S. See DANNENBERG, BURSTONE, WALTER, and KINSLEY, 465

C

CHOUINARD, L. A. See LAFONTAINE and CHOUINARD, 167

CLEMENTI, FRANCESCO, and ZOCCHE, GIAN PAOLO. Morphological and pharmacological effects of reserpine, given alone or after iproniazid, on the catechol amines of the adrenal glands of the rat, [681] 587

COLVIN, J. ROSS. The size of the cellulose microfibril, [227] 105

CRAIG, ELSON L. See SCARPELLI and CRAIG, 279

CSILLIK, BERTALAN. Submicroscopic organization of the postsynaptic membrane in the myoneural junction. A polarization optical study, [681] 571

D

DANIEL, MARY R. See GLAUERT, DANIEL, LUCY, and DINGLE, 111

DANNENBERG, ARTHUR M., JR., BURSTONE, MARVIN S., WALTER, PAUL C., and KINSLEY, JUNE W. A histochemical study of phagocytic and enzymatic functions of rabbit mononuclear and polymorphonuclear exudate cells and alveolar macrophages. I. Survey and quantitation of enzymes, and states of cellular activation, [681] 465

DANON, D. See OHAD, DANON, and HESTRIN, 321

DINGLE, J. T. See GLAUERT, DANIEL, LUCY, and DINGLE, 111

E

ECHLIN, PATRICK. The fine structure of the cell boundary of the blue-green alga *Anacystis montana*, [227] 212

EPEL, DAVID. The effects of carbon monoxide inhibition on ATP level and the rate of mitosis in the sea urchin egg, [461] 315

F

FAHRENBACH, WOLF H. The sarcoplasmic reticulum of striated muscle of a cyclopoid copepod, [682] 629

FARNHAM, ANN E. See OREN, FARNHAM, SAITO, MILOFSKY, and KARNOVSKY, 467

FARQUHAR, MARILYN G., and PALADE, GEORGE E. Junctional complexes in various epithelia, 375

FISHER, RICHARD F., HOLBROOK, DAVID J., JR., and IRVIN, J. LOGAN. Density gradient isolation of rat liver nuclei with high DNA content, [461] 231

FRANZINI, CLARA. See PELLEGRINO and FRANZINI, 327

FREEMAN, JAMES A. See SPURLOCK, KATTINE, and FREEMAN, 203

G

GLAUERT, AUDREY M., DANIEL, MARY R., LUCY, J. A., and DINGLE, J. T. Studies on the mode of action of excess of vitamin A. VII. Changes in the fine structure of erythrocytes during hemolysis by vitamin A, 111

GLENNER, GEORGE G. See HOPSU and GLENNER, 503

GRANBOULAN, NICOLE, TOURNIER, P., WICKER, R., and BERNHARD, W. An electron microscope study of the development of SV40 virus, [461] 423

GREEN, HOWARD. See TODARO and GREEN, 299

H

HENDEE, WILLIAM R., ZEBRUN, WILLIAM, and BONTE, FREDERICK J. Anomalous structures in the cytoplasm of HeLa cells cultured in the presence of 5-bromodeoxyuridine, [682] 675

HESTRIN, S. See OHAD, DANON, and HESTRIN, 321

HOLBROOK, DAVID J., JR. See FISHER, HOLBROOK, and IRVIN, 231

HOPSU, VÄINÖ K., and GLENNER, GEORGE G. A histochemical enzyme kinetic system applied to the trypsin-like amidase and esterase activity in human mast cells, [682] 503

HYMER, W. C., and MCSHAN, W. H. Isolation of rat pituitary granules and the study of their biochemical properties and hormonal activities, 67

I

IRVIN, J. LOGAN. See FISHER, HOLBROOK, and IRVIN, 231

J

JACOB, J., and SIRLIN, J. L. Electron microscope studies on salivary gland cells. I. The nucleus of *Bradysia mycorum* Frey (Sciaridae), with special reference to the nucleolus, [227] 153

JACOBSON, ANN B., SWIFT, HEWSON, and BOGORAD, LAWRENCE. Cytochemical studies concerning the occurrence and distribution of RNA in plastids of *Zea mays*, [682] 557

K

KARNOVSKY, MANFRED L. See OREN, FARNHAM, SAITO, MILOFSKY, and KARNOVSKY, 487

KATTINE, VICTORIA C. See SPURLOCK, KATTINE, and FREEMAN, 203

KILLIAS, URSULA. See ALBERSHEIM and KILLIAS, 93

KINSLEY, JUNE W. See DANNENBERG, BURSTONE, WALTER, and KINSLEY, 465

L

LAFONTAINE, J. G., and CHOUINARD, L. A. A correlated light and electron microscope study of the nucleolar material during mitosis in *Vicia faba*, [228] 167

LOVE, ROBERT, and WILDY, PETER. Cytochemical studies of the nucleoproteins of HeLa cells infected with herpes virus, [461] 237

LUCY, J. A. See GLAUERT, DANIEL, LUCY, and DINGLE, 111

LUIBEL, F. J. See ASHWORTH, LUIBEL, and STEWART, 1

M

MARCHESI, VINCENT T., and BARRNETT, RUSSELL J. The demonstration of enzymatic activity in pinocytic vesicles of blood capillaries with the electron microscope, [682] 547

MCSHAN, W. H. See HYMER and MCSHAN, 67

MIDGLEY, A. R., JR. See SRI RAM, TAWDE, PIERCE, and MIDGLEY, 673

MILOFSKY, EVA. See OREN, FARNHAM, SAITO, MILOFSKY, and KARNOVSKY, 487

MOLLENHAUER, HILTON H., and WHALEY, W. GORDON. An observation on the functioning of the Golgi apparatus, 222

—. See WHALEY and MOLLENHAUER, 216

MOOR, HANS J. C., and MÜHLETHALER, KURT. Fine structure in frozen-etched yeast cells, 609

MÜHLETHALER, KURT. See MOOR and MÜHLETHALER, 609

O

OHAD, I., DANON, D., and HESTRIN, S. The use of shadow-casting technique for measurement of the width of elongated particles, [461] 321

OREN, RACHEL, FARNHAM, ANN E., SAITO, KAZUHISA, MILOFSKY, EVA, and KARNOVSKY, MANFRED L. Metabolic patterns in three types of phagocytizing cells, [683] 487

OVERTON, JANE. Intercellular connections in the outgrowing stolon of *Cordylophora*, [683) 661

P

PALADE, GEORGE E. See FARQUHAR and PALADE, 375

PELLEGRINO, CLAUDIO, and FRANZINI, CLARA. An electron microscope study of denervation atrophy in red and white skeletal muscle fibers, [462] 327

PIERCE, G. B., JR. See SRI RAM, TAWDE, PIERCE, and MIDGLEY, 673

R

REYNOLDS, EDWARD S. The use of lead citrate at high pH as an electron-opaque stain in electron microscopy, [228] 208

RIZKI, ROSE M. See RIZKI and RIZKI, 87

RIZKI, T. M., and RIZKI, ROSE M. An inducible enzyme system in the larval cells of *Drosophila melanogaster*, 87

ROBINOW, C. F. Observations on cell growth, mitosis, and division in the fungus *Basidiobolus ranarum*, 123

ROSENBERG, MURRAY D. The relative extensibility of cell surfaces, 289

ROSENBLUTH, J. Fine structure of epineurial muscle cells in *Aplysia californica*, 455

S

SABATINI, DAVID D., BENSCH, KLAUS, and BARRNETT, RUSSELL J. Cytochemistry and electron microscopy. The preservation of cellular ultrastructure and enzymatic activity by aldehyde fixation, 19

SAITO, KAZUHISA. See OREN, FARNHAM, SAITO, MILOFSKY, and KARNOVSKY, 487

SCARPELLI, DANTE, G. and CRAIG, ELSON L. The fine localization of nucleoside triphosphatase activity in the retina of the frog, [462] 279

SHAFIQ, S. AHMAD. Electron microscopic studies on the indirect flight muscles of *Drosophila melanogaster*. II. Differentiation of myofibrils, [462] 363

—. I. Structure of the myofibrils, 351

SIPERSTEIN, ELEANOR R. Identification of the adrenocorticotrophin-producing cells in the rat hypophysis by autoradiography, [683] 521

SIRLIN, J. L. See JACOB and SIRLIN, 153

SMELLIE, R. M. S. See TAKATS and SMELLIE, 59

SPURLOCK, BEN O., KATTINE, VICTORIA C., and FREEMAN, JAMES A. Technical modifications in Maraglas embedding, [228] 203

SRI RAM, J., TAWDE, SAROJ S., PIERCE, G. B., JR., and MIDGLEY, A. R., JR. Preparation of antibody-ferritin conjugates for immuno-electron microscopy, [683] 673

STEWART, S. C. See ASHWORTH, LUIBEL, and STEWART, 1

STOECKENIUS, WALTHER. Some observations on negatively stained mitochondria, 443

STRAUSS, ELLIOTT W. The absorption of fat by intestine of golden hamster *in vitro*, [684] 597

SWIFT, HEWSON. See JACOBSON, SWIFT, and BOGORAD, 557

T

TAKATS, S. T., and SMELLIE, R. M. S. Thymidine

degradation products in plant tissues labeled with tritiated thymidine, [228] 59
TAWDE, SAROJ S. See SRI RAM, TAWDE, PIERCE, and MIDGLEY, 673
TODARO, GEORGE J., and GREEN, HOWARD. Quantitative studies of the growth of mouse embryo cells in culture and their development into established lines, [463] 299
TORMEY, JOHN MCD. Fine structure of the ciliary epithelium of the rabbit, with particular reference to "infolded membranes," "vesicles," and the effects of Diamox, [684] 641
TOURNIER, P. See GRANBOULAN, TOURNIER, WICKER, and BERNHARD, 423

W

WALKER, DONALD G. A survey of dehydrogenases in various epithelial cells in the rat, 255
WALTER, PAUL C. See DANNENBERG, BURSTONE, WALTER, and KINSLEY, 465
WHALEY, W. GORDON, and MOLLENHAUER, HILTON H. The Golgi apparatus and cell plate formation—a postulate, 216
—. See MOLLENHAUER and WHALEY, 222
WICKER, R. See GRANBOULAN, TOURNIER, WICKER, and BERNHARD, 423
WILDY, PETER. See LOVE and WILDY, 237

Y

YAMAMOTO, TOSHIYUKI. On the thickness of the unit membrane, 413

Z

ZEBRUN, WILLIAM. See HENDEE, ZEBRUN, and BONTE, 675
ZOCCHE, GIAN PAOLO. See CLEMENTI and ZOCCHE, 587

INDEX TO SUBJECTS

A

Adenosine triphosphatase, fine structural localization of, in small intestine, kidney, liver, of rat, 1
— triphosphate level, and rate of mitosis, in sea urchin egg, effects of carbon monoxide inhibition on, 315
Adrenal glands, of rat, morphological and pharmacological effects of reserpine (given alone or after iproniazid) on catechol amines of, EM study, 587
Adrenocorticotrophin-producing cells, of rat anterior pituitary gland, identification of by autoradiography, 521
Aldehyde fixation, for preserving cellular ultrastructure and enzymatic activity, cytochemical and EM study, 19
Alga, blue-green, *Anacystis montana*, fine structure of cell boundary of, 212
Antibody-ferritin conjugates, preparation of for immuno-electron microscopy, 673
Atrophy, denervation, in red and white skeletal muscle fibers, of rat, EM study, 327

B

Bean, *Vicia faba*, correlated light and electron microscope study of nucleolar material during mitosis in, 167
Bismuth, use of as electron stain for nucleic acids, EM study, 93

C

Capillaries, blood, of rat myocardium, demonstration of enzymatic activity in pinocytic vesicles in, histochemical and EM study, 547
Catechol amines, of adrenal glands, of rat, morphological and pharmacological effects on of reserpine (given alone or after iproniazid), EM study, 587
Cell boundary, of blue-green alga *Anacystis montana*, fine structure of, 212
— growth, division, and mitosis, in fungus *Basidiobolus ranarum*, observations on, 123
— surfaces, measurements of, relative extensibility of, *in vitro*, 289
Cells, adrenocorticotrophin-producing, of rat anterior pituitary gland, identification of by autoradiography, 521
—, cultured, of mouse embryo, quantitative studies of their growth and their development into established lines, 299
—, frozen-etched, of yeast *Saccharomyces cerevisiae*, fine structure in, 609
—, HeLa, cultured in presence of 5-bromodeoxyuridine, anomalous structures in cytoplasm of, EM study, 675
—, HeLa, infected with herpes virus, cytochemical studies of nucleoproteins of, 237
—, mast, of human, histochemical enzyme kinetic system applied to trypsin-like amidase and esterase activity in, 503
—, mononuclear and polymorphonuclear and alveolar macrophages, in rabbit, enzymatic and phagocytic functions of, survey and quantitation of enzymes and states of cellular activation, histochemical study, 465
—, phagocytizing, three types—alveolar macrophages, polymorphonuclear leucocytes, monocytes—in guinea pig, metabolic patterns in, 487
Cellulose microfibril, EM study of size of, by metal shadowing method, 105
Coelenterate, *Cordylophora*, intercellular connections in outgrowing stolon of, EM study, 661
Crustacea, cyclopoid copepod *Macrocyclops albidus*, sarcoplasmic reticulum of striated muscle of, EM study, 621
Cytoplasm, of HeLa cells, cultured in presence of 5-bromodeoxyuridine, anomalous structures in, EM study, 675

D

Dehydrogenases, in various epithelial cells, of rat, survey of, histochemical study, 255

E

Egg, of sea urchin, effects of carbon monoxide inhibition on ATP level and rate of mitosis in, 315
Electron microscopy, technical modifications in Maraglas embedding for, 203
Embedding, in Maraglas, for EM, technical modifications in, 203
Embryonic cells, of mouse, in culture, quantitative studies of their growth and their development into established lines, 299
Enzymatic activity, in pinocytic vesicles in blood capillaries of rat myocardium, demonstration of, histochemical and EM study, 547
— activity and ultrastructure, preservation of by aldehyde fixation, cytochemical and EM study, 19
— and phagocytic functions of mononuclear and polymorphonuclear exudate cells and alveolar macrophages, in rabbit, survey and quantitation of enzymes and states of cellular activation, histochemical study, 465
Enzyme kinetic system, histochemical, applied to

trypsin-like amidase and esterase activity in human mast cells, 503
— system, inducible, in larval cells of *Drosophila melanogaster*, 87
Epineurial muscle cells, of visceral ganglion, of mollusc *Aplysia californica*, structure of, EM study, 455
Epithelial cells, of rat, survey of dehydrogenases in various types of, histochemical study, 255
Epithelium, ciliary, of rabbit eye, fine structure of, with particular reference to "infolded membranes," "vesicles," and the effects of Diamox, 641
—, various types of, junctional complexes between adjacent cells in, EM study, 375
Erythrocytes of rabbit, changes in fine structure of during hemolysis by vitamin A, 111
Extensibility, relative, of cell surfaces, *in vitro*, measurements of, 289
Eye, ciliary epithelium, of rabbit, fine structure of, with particular reference to "infolded membranes," "vesicles," and the effects of Diamox, 641

F

Fat, absorption of by intestine, *in vitro*, of golden hamster, EM study, 597
Ferritin-antibody conjugates, preparation of for immuno-electron microscopy, 673
Fibers, skeletal muscle (red and white), of rat, denervation atrophy of, EM study, 327
Fixation, aldehyde, preservation of cellular ultrastructure and enzymatic activity by, cytochemical and EM study, 19
Frog, *Rana catesbeiana*, thickness of unit membrane (organelles and plasma membrane) in cells of abdominal sympathetic ganglia, EM study, 413
—, *Rana pipiens*, fine localization of nucleoside triphosphatase activity in retina of, 279
—, and rat, submicroscopic organization of postsynaptic membrane in myoneural junction, polarization optical study, 571
Frozen-etched cells, of yeast *Saccharomyces cerevisiae*, fine structure in, 609
Fungus, *Basidiobolus ranarum*, observations on cell growth, mitosis, and division in, 123

G

Ganglia, abdominal sympathetic, of frog *Rana catesbeiana*, thickness of unit membrane (organelles and plasma membrane) in cells of, EM study, 413
Golgi apparatus and cell plate formation, of maize, a postulate, EM study, 216
— apparatus, of maize, observation on functioning of, EM study, 222
Granules, anterior pituitary, of rat, isolation of, study of biochemical properties and hormonal activities of, 67
Guinea pig, metabolic patterns in three types of phagocytizing cells—alveolar macrophages, polymorphonuclear leucocytes, and monocytes, 487

H

Hamster, golden, absorption of fat by intestine, *in vitro*, EM study, 597
HeLa cells, cultured in presence of 5-bromodeoxyuridine, anomalous structures in cytoplasm of, EM study, 675
— cells infected with herpes virus, cytochemical studies of nucleoproteins of, 237
Hemolysis by vitamin A, of rabbit erythrocytes, changes in fine structure during, 111
Human, mast cells, histochemical enzyme kinetic system applied to trypsin-like amidase and esterase activity in, 503

I

Immuno-electron microscopy, preparation of antibody-ferritin conjugates for, 673
Insect, *Bradysia mycorum* Frey (Sciaridae), salivary gland cells, EM study of nucleus, with special reference to nucleolus, 153
—, *Drosophila melanogaster*, differentiation of myofibrils of indirect flight muscles of, EM study, 363
—, *Drosophila melanogaster*, an inducible enzyme system in larval cells of, 87
—, *Drosophila melanogaster*, structure of myofibrils of indirect flight muscles of, EM study, 351
Intercellular connections, in outgrowing stolon of coelenterate *Cordylophora*, EM study, 661
Intestine, of golden hamster, fat absorption by, *in vitro*, EM study, 597
— (small), kidney, liver, of rat, fine structural localization of ATPase in, 1

J

Junctional complexes, between adjacent cells in various types of epithelium, EM study, 375

K

Kidney cells, cultured, of monkey and baboon, EM study of development of SV40 virus in, 423
—, liver, small intestine, of rat, fine structural localization of ATPase in, 1

L

Larval cells, of *Drosophila melanogaster*, an inducible enzyme system in, 87
Lead citrate, at high pH, use of as electron-opaque stain, EM study, 208
Liver, kidney, small intestine, of rat, fine structural localization of ATPase in, 1
—, of rat, sucrose density-gradient isolation of nuclei with high DNA content, 231

M

Maize, Golgi apparatus and cell plate formation, a postulate, EM study, 216
—, Golgi apparatus, observation on functioning of, EM study, 222
—, *Zea mays*, cytochemical studies on occurrence and distribution of RNA in plastids of, 557
Maraglas embedding, for EM, technical modifications in, 203
Mast cells, of human, histochemical enzyme kinetic system applied to trypsin-like amidase and esterase activity in, 503
Membrane, postsynaptic, in myoneural junction, of rat and frog, submicroscopic organization of, polarization optical study, 571

Membrane, unit, (organelles and plasma membrane) thickness of, in cells of abdominal sympathetic ganglia of frog *Rana catesbeiana*, EM study, 413
Metabolic patterns in three types of phagocytizing cells—alveolar macrophages, polymorphonuclear leucocytes, monocytes—in guinea pig, 487
Metal shadowing method, EM study of size of cellulose microfibril, 105
Microfibril, of cellulose, EM study of size of, by metal shadowing method, 105
Mitochondria, negatively stained, of mold *Neurospora crassa*, some observations on, EM study, 443
Mitosis, cell growth, and division in fungus *Basidiobolus ranarum*, observations on, 123
—, nucleolar material during, in *Vicia faba*, correlated light and electron microscope study, 167
—, rate of, and ATP level, in sea urchin egg, effects of carbon monoxide inhibition on, 315
Mold, *Neurospora crassa*, some observations on negatively stained mitochondria in, EM study, 443
Mollusc, *Aplysia californica*, structure of epineurial muscle cells in visceral ganglion, EM study, 455
Mouse embryo cells, in culture, quantitative studies of their growth and their development into established lines, 299
Muscle cells, epineurial, of visceral ganglion, in mollusc *Aplysia californica*, structure of, EM study, 455
— fibers (red and white), skeletal, of rat, denervation atrophy of, EM study, 327
—, striated, sarcoplasmic reticulum of, in cyclopoid copepod *Macrocyclops albidus*, EM study, 629
Muscles, indirect flight, of *Drosophila melanogaster*, differentiation of myofibrils of, EM study, 363
—, indirect flight, of *Drosophila melanogaster*, structure of myofibrils of, EM study, 351
Myofibrils, of indirect flight muscles, of *Drosophila melanogaster*, differentiation of, EM study, 363
—, of indirect flight muscles, of *Drosophila melanogaster*, structure of, EM study, 351
Myoneural junction, of rat and frog, submicroscopic organization of postsynaptic membrane in, polarization optical study, 571

N

Nuclei, with high DNA content, of rat liver, sucrose density-gradient isolation of, 231
Nucleic acids, use of bismuth as electron stain for, EM study, 93
Nucleolar material, during mitosis, in *Vicia faba*, correlated light and electron microscope study of, 167
Nucleolus, and nucleus, of salivary gland cells of *Bradysia mycorum* Frey (Sciaridae), EM study of, 153
Nucleoproteins, of HeLa cells infected with herpes virus, cytochemical studies of, 237
Nucleoside triphosphatase activity, in retina of frog *Rana pipiens*, fine localization of, 279
Nucleus, and nucleolus, of salivary gland cells of *Bradysia mycorum* Frey (Sciaridae), EM study of, 153

P

Particles, elongated, shadow casting technique for measurement of width of, using tobacco mosaic virus as model, EM study, 329
Phagocytic and enzymatic functions of mononuclear and polymorphonuclear exudate cells and alveolar macrophages, in rabbit, survey and quantitation of enzymes and states of cellular activation, histochemical study, 465
Phagocytizing cells, three types—alveolar macrophages, polymorphonuclear leucocytes, monocytes—in guinea pig, metabolic patterns in, 487
Pituitary (anterior) granules, of rat, isolation of, study of biochemical properties and hormonal activities of, 67
— gland, anterior, of rat, identification of adrenocorticotrophin-producing cells, autoradiographic study, 521
Plant tissues, *Lilium longiflorum* and *Vicia faba*, labeled with tritiated thymidine, autoradiographic study of thymidine degradation products in, 59
Plastids, of *Zea mays*, cytochemical studies on occurrence and distribution of RNA in, 557

R

Radioactive label, glycine-2-H^3, in the identification of adrenocorticotrophin-producing cells, in rat anterior pituitary gland, autoradiographic study, 521
— label, H^3-thymidine, autoradiographic study of thymidine degradation products in plant tissues, *Lilium longiflorum* and *Vicia faba*, 59
Rabbit, ciliary epithelium of eye, fine structure of, with particular reference to "infolded membranes," "vesicles," and the effects of Diamox, 641
—, erythrocyte, changes in fine structure of during hemolysis by vitamin A, 111
—, phagocytic and enzymatic functions of mononuclear and polymorphonuclear exudate cells and alveolar macrophages, survey and quantitation of enzymes and states of cellular activation, histochemical study, 465
Rat, adrenal glands, morphological and pharmacological effects of reserpine (given alone or after iproniazid) on catechol amines of, EM study, 587
—, anterior pituitary gland, identification of adrenocorticotrophin-producing cells, autoradiographic study, 521
—, anterior pituitary granules, isolation of, study of biochemical properties and hormonal activities of, 67
—, blood capillaries of myocardium, demonstration of enzymatic activity in pinocytic vesicles in, histochemical and EM study, 547
—, and frog, submicroscopic organization of postsynaptic membrane in myoneural junction, polarization optical study, 571
—, liver, sucrose density-gradient isolation of nuclei with high DNA content, 231
—, skeletal muscle fibers (red and white), denervation atrophy of, EM study, 327

Rat, small intestine, kidney, and liver, fine structural localization of ATPase in, 1
—, survey of dehydrogenases in various epithelial cells of, histochemical study, 255
Retina, of frog *Rana pipiens*, fine localization of nucleoside triphosphatase activity in, 279
RNA, in plastids of *Zea mays*, cytochemical studies on occurrence and distribution of, 557

S

Salivary gland cells, of *Bradysia mycorum* Frey (Sciaridae), EM study of nucleus, with special reference to nucleolus, 153
Sarcoplasmic reticulum, of striated muscle, of cyclopoid copepod *Macrocyclops albidus*, EM study, 629
Sea urchin, egg, effects of carbon monoxide inhibition on ATP level and rate of mitosis in, 315
Shadow casting technique for measurement of width of elongated particles, using tobacco mosaic virus as model, EM study, 321
Stain, electron, for nucleic acids, use of bismuth as, EM study, 93
—, electron-opaque, use of lead citrate at high pH, EM study, 208
Staining, negative, of mitochondria, of mold *Neurospora crassa*, some observations on, EM study, 443
Stolon, outgrowing, in coelenterate *Cordylophora*, intercellular connections in, EM study, 661

V

Vesicles, pinocytic, in blood capillaries of rat myocardium, demonstration of enzymatic activity in, histochemical and EM study, 547
Virus, herpes, cytochemical studies of nucleoproteins of HeLa cells infected with, 237
—, SV40, in cultured kidney cells of monkey and baboon, EM study of development of, 423
—, tobacco mosaic, as model for use of shadow casting technique for measurement of width of elongated particles, EM study, 321
Vitamin A, study on mode of action, changes in fine structure of rabbit erythrocyte during hemolysis by, 111

Y

Yeast, *Saccharomyces cerevisiae*, fine structure in frozen-etched cells, 609